



## Lithium Moly Complex Grease

Lithium Moly Complex Grease is a lithium complex grease with Molybdenum disulfide as the solid lubricant with excellent anti-wear and extreme pressure properties. It carries excellent structural and chemical stability and is recommended for roller bearings subjected to very heavy loads and shock loadings.

### Main benefits

- Good water washout, spray-off and extended service capabilities.
- Excellent load carrying capability.
- Corrosion and wear protection.

### Application

Lithium Moly Complex Grease with Molybdenum disulfide is recommended for universal joints and CV joints of automotive and stationary equipments. It is also used for all general-purpose applications, chassis and plain bearing, cranes, buildings and construction equipments.

NLGI Grade	2
Soap Type	Lithium complex
Structure	Smooth/Tacky
Solid Lubricant Additive	MoS <sub>2</sub>
Kinematic Viscosity @ +40°C cSt	320
Kinematic Viscosity @ 100°C cSt	22
Dropping Point	250
Corrosion prevention	Pass
Four-Ball EP Weld Load, Kg	400
Four-Ball Wear Test Scar, mm	0-4

Color Varies from Country to Country. Properties mentioned above are typical only and minor variations, which do not affect the product performances, are to be expected in normal manufacturing. Advice and opinion noted herein are given in good faith and on the basis of the best information available, information is based on past history of the grade only and must not be construed as a guarantee of performance nor any legal liability is accepted by United Grease or any of its affiliates. Follow equipment manufacturer's recommendations for performance level and viscosity grade. The Material Safety Data Sheet for this product is available with your nearest United Grease office or at [www.unitedgrease.com](http://www.unitedgrease.com). © United Grease and Lubricants Co LLC, 2022